

Earphones	11.2
EP-820AS Single Earphone	11.2
EP-820BS Single Earphone	11.2
EP-920BS Inner Earphone.....	11.2
EP-950AS Interpreter headset.....	11.2
HCS-5100PA Headphone	11.3
Sponge Ear Pads Sponge Ear Pads.....	11.3
Cables and Connectors	11.4
CBL6PS-03 3 m 6-pin Extension Cable (with a plug and a socket).....	11.4
CBL6PS-05 5 m 6-pin Extension Cable (with a plug and a socket).....	11.4
CBL6PS-10 10 m 6-pin Extension Cable (with a plug and a socket).....	11.4
CBL6PS-20 20 m 6-pin Extension Cable (with a plug and a socket).....	11.4
CBL6PS-30 30 m 6-pin Extension Cable (with a plug and a socket).....	11.4
CBL6PS-40 40 m 6-pin Extension Cable (with a plug and a socket).....	11.4
CBL6PS-50 50 m 6-pin Extension Cable (with a plug and a socket).....	11.4
CBL6PP-02 2 m 6-pin Extension Cable (with two plugs).....	11.4
S-UTP CABLE Professional Extension Cable for Conference System.....	11.4
CBL13PS-03 3 m 13-pin Extension Cable (with a plug and a socket).....	11.5
CBL13PS-05 5 m 13-pin Extension Cable (with a plug and a socket).....	11.5
CBL13PS-10 10 m 13-pin Extension Cable (with a plug and a socket).....	11.5
CBL13PS-20 20 m 13-pin Extension Cable (with a plug and a socket).....	11.5
CBL13PP-02 2 m 13-pin Extension Cable (with two plugs).....	11.5
CBL5300-05 5 m Dedicated Transceiver Cable.....	11.5
CBL5300-10 10 m Dedicated Transceiver Cable.....	11.5
CBL5300-20 20 m Dedicated Transceiver Cable.....	11.5
CBL5300-50 50 m Dedicated Transceiver Cable.....	11.5
CBL6PT-01 6-pin T-type Cable 1 m ×1 (plug) + 0.5 m ×2 (socket) (for HCS-3600 series).....	11.6
CBL6PT-03 6-pin T-type Cable 3 m ×1 (plug) + 0.5 m ×2 (socket) (for HCS-3600 series).....	11.6
CBL25PS-03 3 m 25-pin Extension Cable (with a plug and a socket, for HCS-850PB/10).....	11.6
CBL25PS-05 5 m 25-pin Extension Cable (with a plug and a socket, for HCS-850PB/10).....	11.6
CBL25PS-10 10 m 25-pin Extension Cable (with a plug and a socket, for HCS-850PB/10).....	11.6
CBL25PS-20 20 m 25-pin Extension Cable (with a plug and a socket, for HCS-850PB/10).....	11.6
RG-58 Coaxial-cable.....	11.6
HCS-4352 6-pin Cable Splitter (1 input & 2 outputs, for HCS-4100/20 series).....	11.7
HCS-4353/06 6-pin Grounding Cable Connection Sokcet (for HCS-4100/20 & HCS-3600 series).....	11.7
HCS-2053/13 13-pin Grounding Cable Connection Sokcet (for HCS-3600MC2).....	11.7
BNC Connector BNC Connector	11.7
6P-DIN (plug) 6DIN Standard Plug.....	11.8
6P-DIN (socket) 6DIN Standard Sokcet.....	11.8

EP-820AS Single Earphone



Features

- Used with the receiver or a conference unit
- Hi-Fi sound quality
- Ø 3.5 mm stereo plug
- 32 Ω (Tip and Sleeve, Ring: NC)
- Frequency response: 50 Hz to 20 kHz
- Sensitivity: ≥102 dBA/1 mW

Ordering Information

EP-820ASSingle Earphone

EP-920BS Inner Earphone (stereo)



Features

- Used with the receiver or a conference unit
- Hi-Fi sound quality
- 16 Ω × 2, Ø 3.5 mm stereo plug
- Frequency response: 50 Hz to 20 kHz
- Sensitivity: ≥108 dBA/1 mW

Ordering Information

EP-920BSInner Earphone (stereo)

EP-820BS Single Earphone



Features

- Used with the receiver or a conference unit
- Hi-Fi sound quality
- Ø 3.5 mm stereo plug
- 32 Ω (Tip and Sleeve, Ring: NC)
- Frequency response: 20 Hz to 20 kHz
- Sensitivity: ≥108 dBA/1 Mw

Ordering Information

EP-820BSSingle Earphone

EP-950AS Interpreter headset



Features

- Incorporated with interpreter unit for monitoring and speaking
- Delicate fine appearance, comfortable for use
- Hi-Fi sound quality
- 32 Ω × 2, Ø 3.5 mm stereo plug for speaker
- Ø 3.5 mm mono plug for microphone
- Frequency response: 80 Hz to 16 kHz
- Sensitivity: ≥102 dBA/1 mW

Ordering Information

EP-950ASInterpreter Headset

HCS-5100PA Headphone (stereo)



Features

- Used with the receiver or a conference unit
- Hi-Fi sound quality
- $32 \Omega \times 2$, $\varnothing 3.5$ mm stereo plug
- Frequency response: 20 Hz to 20 kHz
- Sensitivity: ≥ 108 dBA/1 mW

Ordering Information

HCS-5100PA.....Headphone (stereo)

Sponge Ear Pads



Features

- Used for HCS-5100PA headphone
- 100 pairs per package
- Color: black

Ordering Information

Sponge Ear Pads.....Sponge Ear Pads

CBL6PS 6-pin Extension Cable



Features

- Connecting conference main unit with contribution unit when extensive cable needed
- Standard connectors (A plug and a socket at each end)
- Optional: 3 m, 5 m, 10 m, 20 m, 30 m, 40 m and 50 m available
- Used for HCS-3600 series and HCS-4100/20 series

Ordering Information

CBL6PS-03.....	3 m 6-pin Extension Cable (with a plug and a socket)
CBL6PS-05.....	5 m 6-pin Extension Cable (with a plug and a socket)
CBL6PS-10.....	10 m 6-pin Extension Cable (with a plug and a socket)
CBL6PS-20.....	20 m 6-pin Extension Cable (with a plug and a socket)
CBL6PS-30.....	30 m 6-pin Extension Cable (with a plug and a socket)
CBL6PS-40.....	40 m 6-pin Extension Cable (with a plug and a socket)
CBL6PS-50.....	50 m 6-pin Extension Cable (with a plug and a socket)

CBL6PP-02 6-pin Extension Cable



Features

- Connecting conference main units
- Standard connectors (plug at each end)
- Length: 2 m
- Used for HCS-3600 series and HCS-4100/20 series

Ordering Information

CBL6PP-02.....2 m 6-pin extension Cable (with two plugs)

**S-UTP CABLE
Professional Extension Cable for
Conference System**



Features

- For embedding system cables
- Conductor: 4x2x(7x0.203)+96x0.12

Ordering Information

S-UTP CABLE.....Professional extension Cable
for conference system

CBL13PS 13-pin Extension Cable



Features

- Connecting conference main unit with contribution unit when extensive cable needed
- Standard connectors (A plug and a socket at each end)
- Optional: 3 m, 5 m, 10 m and 20 m available
- Used for HCS-3600 series

Ordering Information

CBL13PS-03	3 m 6-pin Extension Cable (with a plug and a socket)
CBL13PS-05	5 m 6-pin Extension Cable (with a plug and a socket)
CBL13PS-10	10 m 6-pin Extension Cable (with a plug and a socket)
CBL13PS-20	20 m 6-pin Extension Cable (with a plug and a socket)

**CBL13PP-02
13-pin Extension Cable**



Features

- Connecting conference main units
- Standard connectors (plug at each end)
- Length: 2 m
- Used for HCS-3600 series

Ordering Information

CBL13PP-02	2 m 13-pin extension Cable (with two plugs)
------------	-------	---

**CBL5300
Dedicated Transceiver Cable**



Features

- Dedicated cable for HCS-5300TA/TB/TC
- 1 × 6P-DIN male plug
- 1 × 6P-DIN female socket
- Optional: 5 m, 10 m, 20 m and 50 m available
- Ø 6 mm
- Color: black
- The wire stock is the same as CBL6PS, but their connection method is different and cannot be replaced by each other

Ordering Information

CBL5300-05	5 m Dedicated Transceiver Cable
CBL5300-10	10 m Dedicated Transceiver Cable
CBL5300-20	20 m Dedicated Transceiver Cable
CBL5300-50	50 m Dedicated Transceiver Cable

CBL6PT
6-pin T-type Cable (for HCS-3600 series)



Features

- Standard 6-pin cable, "1 in 2 out" structure for tap-off connection
- Used to connect voting/discussion units
- Input end is a plug, and the output end is two sockets, one of which is connected with a conference unit, the other for another tap-off cable
- 1m/3m alternative
- Present a pair of connector clasp for free

Ordering Information

CBL6PT-01...6-pin T-type Cable 1 m ×1 (plug) + 0.5 m ×2 (socket)
 (for HCS-3600 series)

CBL6PT-03...6-pin T-type Cable 3m ×1 (plug) + 0.5 m ×2 (socket)
 (for HCS-3600 series)

CBL25PS
25-pin Extension Cable (for HCS-850/PB)



Features

- Used to connect the interpretation units (HCS-850PB/10)
- 25P DIN plug and socket
- Optional: 3 m, 5 m, 10 m and 20 m available

Ordering Information

CBL25PS-03.....3 m 25-pin extension Cable (with a plug and a socket, for HCS-850PB/10)

CBL25PS-05.....5 m 25-pin extension Cable (with a plug and a socket, for HCS-850PB/10)

CBL25PS-10.....10 m 25-pin extension Cable (with a plug and a socket, for HCS-850PB/10)

CBL25PS-20.....20 m 25-pin extension Cable (with a plug and a socket, for HCS-850PB/10)

RG-58 Coaxial-cable



Features

- Equivalent impedance: 50 Ohm
- Ø 5 mm
- Length of per roll: 200 meter

Ordering Information

RG-58.....Coaxial-cable

HCS-4352 6-pin Cable Splitter



Features

- Relay facility, can amplify the communication signals
- 6P-DIN interface, "1 in 2 out" structure for connection
- 2m-cable with a 6P-DIN connector at the input end
- Two 6PIN output interface for connection with conference units/extension cable

Ordering Information

HCS-43526-pin Cable Splitter (1 input & 24 outputs, for HCS-4100/20 series)

**HCS-2053/13
13-pin Grounding
Cable Connection Sokcet**



Features

- For embedding cables to connect conference unit
- For connecting to HCS-3600MC2 main unit
- Interface: 2 13P-DIN female

Ordering Information

HCS-2053/13.....13-pin Grounding Cable Connection Sokcet (for HCS-3600MC2)

**HCS-4353/06
6-pin Grounding Cable Connection
Sokcet**



Features

- For embedding cables to connect conference unit
- For connecting to HCS-4100/20 or 3600 series conference unit
- Interface: 2 6P-DIN female

Ordering Information

HCS-4353/066-pin Grounding Cable Connection Sokcet (for HCS-4100/20 & HCS-3600 series)

BNC Connector



Ordering Information

BNC ConnectorBNC Connector

6P-DIN 6DIN Standard Plug



Features

- For soldering to 6P-DIN cable
- Removable DIN standard male connector (6PIN)

Ordering Information

6P-DIN (plug).....6DIN Standard Plug

6P-DIN 6DIN Standard Sokcet



Features

- For soldering to 6P-DIN cable
- Insulating 6P-DIN weldable female socket

Ordering Information

6P-DIN (sokcet).....6DIN Standard Sokcet